

Outlook[®] Herbicide

Postemergence for Residual Weed Control in Soybean



**NEW Expanded Post
Application Window –
Up to 5th Trifoliolate
Leaf Stage**

Broad-spectrum Residual Weed Control

- Annual grasses and small-seed broadleaf weeds
 - Including glyphosate-resistant waterhemp and Palmer amaranth
- Effective resistant weed management

Flexible Use for Operational Efficiency

- Wide application window
 - 1st to 5th trifoliolate soybeans
- Low use rate for easy handling
- Compatible with post tank-mix partners to meet field specific weed control needs

Consistent Performance

- Easily activates with minimal rainfall
- Readily washes off crop residue to where weeds germinate

Post Application Timing*

- 1st to 5th trifoliolate soybean leaf stage

**DO NOT apply to cotyledon or unifoliolate stage soybeans or injury may occur.*

Use Rates*

- 12 to 16 fl oz/A
- Use higher rates for high weed populations and/or longer residual activity
- A post herbicide tank mix partner is required to control emerged weeds

***Outlook may be used in a split application program. If applications are 2 weeks or more apart, a total Outlook use rate of up to 21 fl oz/A may be used per year.*

Visit your retailer to order Outlook today

To learn more visit your retailer or
www.agproducts.basf.us

Always read and follow label directions.

Outlook is a registered trademark of BASF.

©2012 BASF Corporation. All Rights Reserved. APN-12-19-86-DEW-001

Outlook[®]
Herbicide

